

Faucet Product Collection







Kitchen Faucets



Kitchen Faucets





Two Handle Acrylic Kitchen Faucet

Chrome

416230 (with spray) 416229 (less spray)

412355 (with spray) (412354 (less spray)



Two Handle Metal Kitchen Faucet



Faucet Features

- Drip-free washerless cartridge •
- Fits 8" center holes
- Water saving aerators Max flow rate of 2.2 GPM at 60 PSI
- 100% factory pressure tested

(d) denotes Ultra Low Lead check for availability



denotes ADA compliant

Lavatory Faucets



(denotes Ultra Low Lead check for availability

denotes ADA compliant

Lavatory Faucets



4" Single Handle **Lavatory Faucet**

Chrome 411849 (with pop-up) 411848 (less pop-up)



(less pop-up) 🔕 Ŀ

411844

411845



4" Two Handle Metal Lavatory Faucet



Chrome 411965 412383 ()



4" Single Handle Acrylic **Lavatory Faucet**

Chrome 411985 412387 🔘



4" Two Handle Acrylic Lavatory Faucet

Chrome 416245 412390 (

Faucet Features

- Drip-free washerless cartridge
- Fits 4" center holes
- Pop-up drain included unless noted
- Water saving aerators Max flow rate of 1.5 GPM at 60 PSI
- 100% factory pressure tested

Tub and Shower Trim Kits



Shower Features

- Water saving showerhead ٠
- Max flow rate of 2.5 GPM at 80 PSI ٠
- Rough valve sold separately •

denotes Ultra Low Lead check for availability



denotes ADA compliant

Roman Tub, Rough Valves, Bar and Laundry Faucets



Tub and Shower Rough Valve

Pressure Balanced with Valve Stops

428822 (Copper/Male Inlet Connection) 428819 (PEX Inlet Connection) 412016 (Female Inlet Connection)



Valve Features

- Solid brass waterways
- Ceramic disc cartridge
- 100% factory pressure tested



Two Handle Bar Faucet

Chrome 419570 412366 **(**

Brushed Nickel 412577 412578



Faucet Features

- Drip-free ceramic cartridge
- Fits 4" center holes
- Water saving aerators
 Max flow rate of 2.2 GPM at 60 PSI
- 100% factory pressure tested



Roman Tub Faucet

Chrome 412125

Brushed Nickel 412126

Rough Valve 412127

Faucet Features



- Stainless steel supply hoses
- 10" cast brass spout with flow straightener
- 100% factory pressure tested
- Rough valve sold separately



Two Handle Laundry Faucet



Chrome (with hose adaptor) 411904

Faucet Features

- Solid brass and copper waterways
- Drip-free washerless cartridge
- Fits 4" center holes
- Water saving aerators Max flow rate of 4.0 GPM at 60 PSI
- 100% factory pressure tested



HD Supply's high-quality line of faucets and shower valves.



HD Supply's builder's line of faucets and shower valves.

Certifications

All Seasons and Aspen Faucets and Shower Valves meet or exceed the following standards:

ANSI / ASME A112.18.1 ANSI / NSF 61 – Sec. 9 CSA B125 IAPMO / UPC

Warranty

All Seasons and Aspen Faucets and Shower Valves offer a limited Lifetime Warranty (see warranty card or call 888.328.2383 for details).

For Your Information

On January 1, 2010, California and Vermont customers were among the first to be required to comply with legislation limiting the lead content in new faucets, pipes and plumbing fittings. These new fittings cannot exceed a total weighted average of 0.25% maximum lead content on wetted surfaces. HD Supply uses the 🕐 icon and "ultra low lead" to identify these products. Whether you are faced with meeting new regulations or wish to purchase faucets with lower-lead content, HD Supply is at the forefront by providing products to areas where state laws and local codes mandate lead content levels or to individuals who are concerned with lead content.

Distributed by HD Supply, Inc. 3100 Cumberland Boulevard, Atlanta, GA, 30339 ©2010 HDS IP Holding, LLC. All Rights Reserved. Updated May 2010

plumbing-hvac.hdsupply.com